

Reliable exam torrent & valid VCE PDF materials & dumps torrent files

Input your exam code ...



Our high-quality valid VCE PDF materials & dumps torrent files guarantee you pass exam 100% for sure. Our reliable exam torrent will be the best help for your exams and will give you a new start, a new life.

All Products

Contact now



Quality and Value

VCETorrent Practice Exams are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development - no all dumps.



Tested and Approved

We are committed to the process of vendor and third party approvals. We believe professionals and executives alike deserve the confidence of quality coverage these authorizations provide.



Easy to Pass

If you prepare for the exams using our VCETorrent testing engine, It is easy to succeed for all certifications in the first attempt. You don't have to deal with all dumps or any free torrent / rapidshare all stuff.



Try Before Buy

VCETorrent offers free demo of each product. You can check out the interface, question quality and usability of our practice exams before you decide to buy.

19728

CUSTOMERS

32727

DOWNLOADS

21728

TEAM MEMBERS

26394

SHARES

<http://www.vcetorrent.com>

Reliable exam torrent & valid VCE PDF materials & dumps torrent files

Exam : **102-400**

Title : LPI Level 1 Exam 102, Junior
Level Linux Certification, Part
2 of 2

Vendor : Lpi

Version : DEMO

NO.1 What of the following can be done by the command `ifconfig`? (Choose TWO correct answers.)

- A. Set a network interface active or inactive.
- B. Specify the kernel module to be used with a network interface.
- C. Allow regular users to change the network configuration of a network interface.
- D. Change the netmask used on a network interface.
- E. Specify which network services are available on a network interface.

Answer: A,D

NO.2 Which commands can be used to change a user's account aging information? (Choose THREE correct answers.)

- A. `usermod`
- B. `passwd`
- C. `chattr`
- D. `chage`
- E. `chsh`

Answer: A,B,D

NO.3 Which of the following programs can be used to determine the routing path to a given destination?

- A. `dig`
- B. `netstat`
- C. `ping`
- D. `route`
- E. `traceroute`

Answer: E

NO.4 Which of the following tools used for DNS debugging, reports not only the response from the name server but also details about the query?

- A. `dnsq`
- B. `dig`
- C. `hostname`
- D. `dnslookup`
- E. `zoneinfo`

Answer: B

NO.5 When the command `echo $` outputs 1, which of the following statements is true?

- A. It is the process ID of the `echo` command.
- B. It is the process ID of the current shell.
- C. It is the exit value of the command executed immediately before `echo`.
- D. It is the exit value of the `echo` command.

Answer: C

NO.6 What is true regarding a default route?

- A. The default route is always used first. When the default route is not available more specific routes are tried.
- B. When a default route is set, all other routes are disabled until the default route is deleted.
- C. The default route is only used if there is not a more specific route to a destination host or network.
- D. Without a default route, no network communication even in directly attached networks is possible.

Answer: C

NO.7 CORRECT TEXT

What is the default name of the configuration file for the Xorg X11 server? (Specify the file name only without any path.)

Answer: xorg.conf

NO.8 CORRECT TEXT

Which command can be used to investigate the properties for a particular window in X by clicking that window? (Specify ONLY the command without any path or parameters.)

Answer: /usr/bin/xwininfo, xwininfo

NO.9 Which of the following programs uses the hosts.allow file to perform its main task of checking for access control restrictions to system services?

- A. tcpd
- B. inetd
- C. fingerd
- D. mouted
- E. xinetd

Answer: A

NO.10 Which of the following commands connects to the remote host example.com which has OpenSSH listening on TCP port 2222? (Choose TWO correct answers.)

- A. ssh --port 2222 example.com
- B. ssh -p 2222 example.com
- C. ssh -o Port=2222 example.com
- D. ssh -o GatewayPort=2222 example.com
- E. ssh example.com:2222

Answer: B,C

NO.11 Given the following routing table:

Kernel IP routing table

Destination	Gateway	Genmask	Flags	Metric	Ref	Use	Iface
0.0.0.0	192.168.178.1	0.0.0.0	UG	0	0	0	wlan0
192.168.1.0	0.0.0.0	255.255.255.0	U	0	0	0	eth0
192.168.2.0	192.168.1.1	255.255.255.0	U	0	0	0	eth0
192.168.178.0	0.0.0.0	255.255.255.0	U	9	0	0	wlan0

How would an outgoing packet to the destination 192.168.2.150 be handled?

- A. It would be passed to the default router 192.168.178.1 on wlan0.

- B. It would be directly transmitted on the device eth0.
- C. It would be passed to the default router 255.255.255.0 on eth0.
- D. It would be directly transmitted on the device wlan0.
- E. It would be passed to the router 192.168.1.1 on eth0.

Answer: E

NO.12 When trying to unmount a device it is reported as being busy. Which of the following commands could be used to determine which process is causing this?

- A. debug
- B. lsof
- C. nessus
- D. strace
- E. traceroute

Answer: B