

Reliable exam torrent & valid VCE PDF materials & dumps torrent files

Input your exam code ...



Our high-quality valid VCE PDF materials & dumps torrent files guarantee you pass exam 100% for sure. Our reliable exam torrent will be the best help for your exams and will give you a new start, a new life.

All Products

Contact now



### Quality and Value

VCETorrent Practice Exams are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development - no all dumps.



### Tested and Approved

We are committed to the process of vendor and third party approvals. We believe professionals and executives alike deserve the confidence of quality coverage these authorizations provide.



### Easy to Pass

If you prepare for the exams using our VCETorrent testing engine, It is easy to succeed for all certifications in the first attempt. You don't have to deal with all dumps or any free torrent / rapidshare all stuff.



### Try Before Buy

VCETorrent offers free demo of each product. You can check out the interface, question quality and usability of our practice exams before you decide to buy.

19728

CUSTOMERS

32727

DOWNLOADS

21728

TEAM MEMBERS

26394

SHARES

<http://www.vcetorrent.com>

Reliable exam torrent & valid VCE PDF materials & dumps torrent files

**Exam :** C2060-350

**Title :** IBM WebSphere Transformation  
Extender V8.4 Application  
Development

**Vendors :** IBM

**Version :** DEMO

NO.1 An application developer has a file which consists of fixed length records. The first record is a header record followed by some number of detail records. The number of detail records is expressed by a value found in the header record. How does the developer define this type of data in WebSphere Transformation Extender?

- A. Index the input based on the count in the header record.
- B. Use a Map function to keep track of how many detail records there are.
- C. Write a custom function to store the number of detail records in the map context.
- D. Use a component rule to compare the current record to the value found in the header.

**Answer:** D

NO.2 What is the primary difference between a choice group and a partitioned group?

- A. A choice group requires that data must be distinguishable; a partitioned group does not.
- B. A partitioned group requires that data must be distinguishable; a choice group does not.
- C. A choice group can have both items and groups as components; a partition group can only have groups as subtypes.
- D. A partitioned group can contain both items and groups as components; a choice group can only contain groups as components.

**Answer:** C

NO.3 Which two of the following statements are TRUE of syntax items? Syntax items:

- A. are limited to 10 bytes.
- B. can only be defined as character data.
- C. can be defined as character or binary data.
- D. are used as separators between portions of data.

**Answer:** B,D

NO.4 The image here shows the components of a purchase order:

Component
▶ Header Record
▼ Detail Record (s)
◆ LineItem Number Field
◆ Catalog# Text Field
◆ QtyOrdered Number Field
◆ UnitPrice Number Field
◆ UnitOfMeasure Text Field
◆ Message Text Field
▼ Trailer Record
◆ TotalItems Number Field
◆ OrderTotal Number Field

The application requires that the total number of items (TotalItems) in the Trailer Record equals the sum of the quantity ordered (QtyOrdered) for each purchase order.

This verification can be performed by a component rule. Which component should have the component rule?

- A. TotalItems

- B. QtyOrdered
- C. Detail Record
- D. Trailer Record

**Answer:** D

NO.5 Refer to image shown here:



Which of the following statements is TRUE with regards to the type trees created using the XML Schema Importer.

- A. The trees were created with different schemas.
- B. One tree was created using XSDL Hints and Xerces validation.
- C. One tree was created using Classic validation and XSDL Hints.
- D. One tree was created using Classic validation and the other using Xerces validation.

**Answer:** B

NO.6 The structure of the following file has been partially defined in a type tree:  
 ~Smith~Robert~Programmer<NL> ~Doe~John~Manager<NL>

The properties of the types have not been completely defined.



Which of the following options defines the properties for the use of the tilde (~) character in the sample file?

- A. Define ~ as a floating component of the Record type.
- B. Define ~ character as a prefix delimiter of the File type.
- C. Define ~ character as a prefix delimiter of the Record type.
- D. Define ~ character as the initiator and terminator of LastName and FirstName types and initiator of Title type.

**Answer: C**

NO.7 Which statement about syntax items is TRUE?

- A. They must have a restriction list.
- B. They have a maximum length of 1 byte.
- C. The value must come from the input data.
- D. They cannot be used as variable initiators.

**Answer: A**

NO.8 Which two of the following statements are TRUE of a component rule? A component rule:

- A. is used to create output.
- B. is used for data validation.
- C. can refer to any other component in the component list.
- D. is always evaluated even if an optional component is not present in the data.

**Answer: B,D**