

Reliable exam torrent & valid VCE PDF materials & dumps torrent files

Input your exam code ...



Our high-quality valid VCE PDF materials & dumps torrent files guarantee you pass exam 100% for sure. Our reliable exam torrent will be the best help for your exams and will give you a new start, a new life.

All Products

Contact now



### Quality and Value

VCETorrent Practice Exams are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development - no all dumps.



### Tested and Approved

We are committed to the process of vendor and third party approvals. We believe professionals and executives alike deserve the confidence of quality coverage these authorizations provide.



### Easy to Pass

If you prepare for the exams using our VCETorrent testing engine, It is easy to succeed for all certifications in the first attempt. You don't have to deal with all dumps or any free torrent / rapidshare all stuff.



### Try Before Buy

VCETorrent offers free demo of each product. You can check out the interface, question quality and usability of our practice exams before you decide to buy.

19728

CUSTOMERS

32727

DOWNLOADS

21728

TEAM MEMBERS

26394

SHARES

<http://www.vcetorrent.com>

Reliable exam torrent & valid VCE PDF materials & dumps torrent files

**Exam** : **VCS-271**

**Title** : Administration of Veritas  
NetBackup 7.5 for UNIX

**Vendor** : Veritas

**Version** : DEMO

NO.1 A backup job exits with "Status Code 1: the requested operation was partially successful".

Which resource will provide useful information on the specific cause of this issue?

- A. The All Log Entries report
- B. The Client Backups report
- C. The bptm log on the media server involved in the backup job
- D. The bpcd log on the client system for the job

**Answer:** A

NO.2 What happens when a DLP Agent is unable to connect to its preferred Endpoint Server?

- A. If any detection server in the system is running, the agent automatically connects to it after a period of time.
- B. If any Endpoint Server is running, the agent automatically connects to it after a period of time.
- C. If any Endpoint Server is running, and if the agent is configured to recognize it, the agent connects to it after a period of time.
- D. If any detection server is running, and if the agent is configured to recognize it, the agent connects to it after a period of time.

**Answer:** C

NO.3 Which two can cause a Symantec NetBackup job to run more frequently than expected? (Select two.)

- A. A policy schedule that allows multiple copies
- B. Image expiration
- C. Presence of a synthetic backup schedule in the policy
- D. True image restore with move detection
- E. An administrator changing a policy

**Answer:** B,E

NO.4 Which two conditions must be met to change the volume group of a tape volume? (Select two.)

- A. All tape volumes in a volume group must be in the same library or standalone.
- B. All tape volumes must have barcode labels.
- C. No backup images can be written to the tape volume.
- D. All tape volumes must be vaulted before the volume group can be changed.
- E. All tape volumes in the same volume group must have the same media type.

**Answer:** A,E

NO.5 Which two products are required for quarantining confidential files residing inappropriately on a public file share? (Select two.)

- A. Network Discover
- B. Endpoint Discover
- C. Network Monitor
- D. Network Prevent
- E. Network Protect

**Answer:** A,E

NO.6 An administrator needs to install a Symantec NetBackup patch to a 32-bit Windows 2003 server.

Which machine should the administrator use to deploy the patch remotely?

- A. Windows 7 64-bit workstation
- B. Windows XP 32-bit workstation
- C. Linux 32-bit media server
- D. Windows 2003 64-bit client server

**Answer:** B

NO.7 Which product lets an incident responder see who has access to confidential files on a public file share?

- A. Network Protect
- B. Network Monitor
- C. Network Prevent
- D. Network Discover

**Answer:** D

NO.8 A backup administrator needs to perform file system restore operations for two important client systems, client1 and client2. Dedicated resources are available for restore jobs but only one restore job may run at a time. When submitted, the restore jobs will be queued until a restore job that is already running is completed. The restore job for client1 must be performed first and the restore job for client2 must run before any other restore jobs that may be added to the job queue. In the Backup, Archive, and Restore (BAR) GUI, which job priority values would allow for the client1 restore to run first, followed by the client2 restore, and finally any other restore jobs that may be submitted?

- A. client1: 84000; client2: 85000
- B. client1: 85000; client2: 84000
- C. client1: 91000; client2: 92000
- D. client1: 92000; client2: 91000

**Answer:** D

NO.9 Where can administrators find an installation checklist for installing Symantec NetBackup 7.5 patches?

- A. Symantec.Cloud
- B. fileconnect.symantec.com
- C. ftp.support.symantec.com
- D. sort.symantec.com

**Answer:** D

NO.10 Where on the Endpoint Server Detail page can a system administrator configure the throttling option?

- A. Agent Listener section

- B. Agent Monitoring section
- C. Agent Configuration section
- D. Agent Filtering section

**Answer:** C

NO.11 Auto Image Replication is being used to replicate New York backups to London. The New York backups have completed.

What is the next step?

- A. Image duplicated to London using a storage lifecycle policy to a Disk Staging Storage Unit
- B. Image duplicated to London using a Disk Staging Storage Unit
- C. Image duplicated to London using a storage lifecycle policy to a media server deduplication pool
- D. Image duplicated to London using Symantec NetBackup Vault to tape

**Answer:** C

NO.12 Which two traffic feed sources should be used for Network Monitor? (Select two.)

- A. Test Access Port (TAP)
- B. trunking port on a hub
- C. Switched Port Analyzer (SPAN) port
- D. router LAN port
- E. tunneled port on a VPN router


**Answer:** A,C

NO.13 Which types of information are backed up by a cumulative incremental backup schedule?

- A. Files and folders that have changed since the last differential incremental, cumulative incremental, or full backup
- B. Files and folders that have changed since the last cumulative incremental or full backup
- C. Files and folders that have changed since the last full backup
- D. Files that have changed since the last incremental or full backup

**Answer:** C

NO.14 Refer to the exhibit.



An organization has the requirements listed below for a server's backup data.

Two copies must be retained for the same backup data.

One copy must be sent to disk with a retention period of one month.

A second copy must be sent to tape with a retention period of six months.

The copy on disk may only be automatically deleted by Symantec NetBackup after one month.

This must be configured without use of storage lifecycle policies.

How can a Symantec NetBackup 7.5 administrator configure a backup policy, maximizing automation, to meet these requirements?

- A. create a basic disk staging storage unit with a fixed retention of one month and staging to tape with a retention of six months; configure the backup policy to use this disk
- B. configure the backup policy to back up to a basic disk with retention of one month; run the `bpduplicate` command to duplicate to tape with retention of six months
- C. configure two identical schedules for the same policy, then configure one schedule to go to a basic disk with retention of one month and configure the other schedule to go to tape with retention of six months
- D. configure the backup policy so that the schedule creates multiple copies: one to basic disk with one month retention, and one to tape with six months retention

**Answer:** D

NO.15 The Symantec NetBackup Startup and Shutdown commands on UNIX are "netbackup start" and "netbackup stop".

What is the default installation directory where the "netbackup" command is located?

- A. /usr/opensv/netbackup/bin
- B. /usr/opensv/netbackup/bin/admincmd
- C. /usr/opensv/netbackup/bin/goodies
- D. /usr/opensv/netbackup/bin/support

**Answer:** C